Synopsis 2136



Bisque



Taupe 1211




Ash 1210



Flannel 1222



Butterscotch



Blush 1215



Poppy



Burgundy



Chartreuse



Jade 1220



Pine



Cerulean



Blue Marine 1219



Ebony

Synopsis 2136

Specifications

Content	52% post-consumer recycled polyester 48% pre-consumer recycled polyester
Weight	10.6 ± 1.0 oz./lin. yd.
Width	54" min. useable
Repeat	7.25" vertical 4.25" horizontal

Cleaning Code


Standard Care Label W-S. Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup.

Bleach Cleanable - May be cleaned with a 10% bleach-to-water solution. Rinse well after cleaning. May also be disinfected with hydrogen peroxide, alcohol, and quaternary ammonium (quat) based cleaners.

Acoustical Performance

The plot below summarizes impedance tube measurements of absorption of an anechoic termination and various fabrics in front of the anechoic termination.

Acoustical Performance for Panel Applications (ISO 10534-2)



NRC of anechoic termination 1.00 NRC of fabric in front of anechoic termination .90

Performance

*	Colorfastness to Light (AATCC 16.3 Option 3) Grade 4 min. at 40 hours
U	Colorfastness to Crocking (AATCC 8) Grade 4 min. dry & Grade 3 min. wet

Breaking Strength (ASTM D5034) 295 lbf warp and 180 lbf fill

Seam Slippage (ASTM D4034) 115 lbf warp and 110 lbf fill

Pilling Resistance (ASTM D3511) Class 4



Flammability

CA Technical Bulletin 117-2013 Section 1 **ASTM E84 Class I or A**



Abrasion (ASTM D4157) 100,000 double rubs cotton duck

Sustainability



100% recycled and recyclable
Terratex is a registered trademark of Duvaltex



⊚ facts[∞]

Miscellaneous

Proudly woven in North America supporting our local communities.

Application testing of this product is recommended. Colors may vary between dye lots. This is a directional fabric.

Visit guilfordofmaine.com for samples.



*Certification Marks owned by the Association for Contract Textiles, Inc.